



CLAY ★ CHALK ★ MINERAL BASE PAINT

American Paint Company LLC
3005 S St Francis Dr. Suite 2A
Santa Fe, NM 8750
Phone : (800) 809-9443
e-mail: info@americanpaintcompany.com

1. COMPANY IDENTIFICATION AND CHEMICAL PRODUCT

Manufacturer: American Paint Company

Product name: CLAY/CHALK WHITE

2. HAZARD IDENTIFICATION

Signal Word: None

HMIS Codes

Health 0

Flammability 0

Reactivity 0

Personal Protection

Health and Physical Identification

Coating contains no physical or health hazards.

Routes of Exposure Target Organs

Inhalation -No Blood -No

Skin contact -No Eyes -Yes

Eye contact -Yes Kidneys -No

Ingestion -Yes Liver -No

Lungs -No

Central nervous system -No

Reproductive -No

Skin -No

Effects of Overexposure

Eyes

Avoid contact with eyes. Contact with eyes may cause irritation.

Ingestion

May be harmful if swallowed.

SAFETY DATA SHEET

Date Printed: 1/27/2015

CLAY/CHALK WHITE AMERICAN PAINT CO

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component/Occupational Exposure Limits CAS RN % by Wt.

& Titanium Dioxide 13463-67-7 20.42

Silica (sourced from quartz) 66402-68-4 5.1% TO 10.0%

4. FIRST AID MEASURES

Skin contact

Wash off with soap and plenty of water.

Eye contact

In case of eye contact, flush the eyes with water for 15 minutes.

If contact lenses are worn, quickly remove them, then flush the eyes with plenty of water.

Ingestion

Do not induce vomiting. If vomiting occurs spontaneously, keep the head below the hips to prevent aspiration of liquid into the lungs.

Note to Physician

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flash Point: Method:

Not Applicable Not Applicable

Explosion Limits:

Lower (LEL)

No data found

Upper (UEL)

No data found

Flammability Classification

Not Applicable

Extinguishing Media

Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Environmental Precautions

Prevent this material from entering sewers and watercourses by diking or impounding the spilled material. Advise authorities if the product has entered or may enter, sewers, watercourses, or

SAFETY DATA SHEET

Date Printed: 1/27/2015

CLAY/CHALK WHITE AMERICAN PAINT CO

extensive land areas. Allow product to air dry. Dispose of product according to local and federal regulations.

Methods for Cleanup

Soak up with inert absorbent material. Sweep up and shovel into suitable covered containers. Dispose of according to all applicable federal, state and local regulations.

7. HANDLING AND STORAGE

Handling

Always open containers slowly to allow any excess pressure to vent.

Storage Category

DO NOT FREEZE. Keep container tightly closed. Store on an impermeable floor.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use only with adequate ventilation. Avoid contact with eyes. Wash hands after using.

Respiratory Protection

Local exhaust is recommended to ensure adequate ventilation.

Hand Protection

Wash hands often using soap and water.

Eye Protection

In case of eye contact, flush the eyes with water for 15 minutes. If contact lenses are worn, quickly remove them, then flush the eyes with plenty of water.

Skin Protection

Wear protective clothing if deemed appropriate.

Other Data

Good personal hygiene and good housekeeping are important. Spilled material may cause the floor to become slippery.

SAFETY DATA SHEET

Date Printed: 1/27/2015

CLAY/CHALK WHITE AMERICAN PAINT CO

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Boiling Point

Liquid 100°C (212°F)

Vapor Density Evaporation Rate

Heavier than air Slower than ether

Odor VOC less water

Not Significant 0 g/l

Density Percent Volatile by Volume

12.24 lb/gl 63.41%

Specific Gravity pH

1.47 Not determined

10. STABILITY AND REACTIVITY

Incompatibility

No data found

Hazardous Polymerization

Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

No data found

Chronic Toxicity

No data found.

Carcinogenic Effects

No data found.

Mutagenic Effects

No data found.

Reproductive Toxicity

No data found.

SAFETY DATA SHEET

Date Printed: 1/27/2015

CLAY/CHALK WHITE AMERICAN PAINT CO

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Method

As the US Environmental Protection Agency (EPA), state, regional, and other regulatory agencies may have jurisdiction over the disposal of the waste generated, it is incumbent upon the waste generator to learn of and satisfy all of the waste disposal requirements which affect them. US EPA Hazardous Waste Numbers are applicable to the unadulterated product if it enters the "waste stream".

US EPA Hazardous Waste Numbers

None

14. TRANSPORT INFORMATION

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

US Ground (DOT)

Not Regulated for Transportation.

DOT (Dept of Transportation) Hazardous Substances & Reportable Quantities

Not Regulated for Transportation.

Bulk Containers may be Shipped as (check reportable quantities)

Not Regulated for Transportation.

Canada (TDG)

Not Regulated for Transportation.

IMO

Not regulated by US DOT for domestic ocean transport to Hawaii, Alaska, Puerto Rico, and US territories.

IATA/ICAO

Not Regulated for Transportation.

SAFETY DATA SHEET

Date Printed: 1/27/2015

CLAY/CHALK WHITE AMERICAN PAINT CO

15. REGULATORY INFORMATION

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical(s) which are subject the reporting requirements of the Act and 40 CFR Part 372:

Component Cas RN % by Wt.

*** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT

TSCA 12(b)

All chemicals in this product are listed, or are exempt from listing, on the TSCA Inventory.

CALIFORNIA PROPOSITION 65

No data found.

16. OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

MSDS Status: APPROVED

Revision Date: 12/22/14